United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/740,979	12/21/2000	Kazuhiko Sugiyama	072982/0212	5495
22428	7590 02/08/2005	EXAMINER		
FOLEY AND LARDNER SUITE 500			MOORE JR, MICHAEL J	
3000 K STREET NW			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20007			2666	

DATE MAILED: 02/08/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)		
Office Action Summary		09/740,979	SUGIYAMA, KAZUHIKO		
		Examiner	Art Unit		
	,	Michael J. Moore, Jr.	2666		
Period fo	The MAILING DATE of this communication apor Reply	ppears on the cover sheet with the	correspondence address		
THE - External after of the control	MAILING DATE OF THIS COMMUNICATION ansions of time may be available under the provisions of 37 CFR 10 SIX (6) MONTHS from the mailing date of this communication. The proof of the provisions of 37 CFR 10 period for reply specified above is less than thirty (30) days, a report of the proof of	136(a). In no event, however, may a reply be ply within the statutory minimum of thirty (30) do d will apply and will expire SIX (6) MONTHS froute, cause the application to become ABANDON	timely filed lays will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).		
Status					
1)[🛛	Responsive to communication(s) filed on 29	July 2004.			
2a)⊠	This action is FINAL . 2b) Th	is action is non-final.			
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposit	ion of Claims	, · ·			
5)□ 6)⊠ 7)□	Claim(s) 1-6 is/are pending in the application 4a) Of the above claim(s) is/are withdre Claim(s) is/are allowed. Claim(s) 1-6 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/	awn from consideration.			
Applicat	ion Papers				
10)⊠	The specification is objected to by the Examir The drawing(s) filed on <u>21 December 2000</u> is Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre The oath or declaration is objected to by the Examiration.	/are: a)⊠ accepted or b)□ objected or b)□ objected arawing(s) be held in abeyance. Solution is required if the drawing(s) is continuous.	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).		
Priority (under 35 U.S.C. § 119				
12)⊠ a)	Acknowledgment is made of a claim for foreig All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Burea See the attached detailed Office action for a list	nts have been received. nts have been received in Applica ority documents have been receinau (PCT Rule 17.2(a)).	ation No ved in this National Stage		
	•				
Attachment(s)					
	ce of References Cited (PTO-892)	4) Interview Summa			
3) 🔲 Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 er No(s)/Mail Date	Paper No(s)/Mail 5) Notice of Informal 6) Other:	Date Patent Application (PTO-152)		

Art Unit: 2666

DETAILED ACTION

Specification

Amendments made by Applicant to the abstract are proper and have been entered.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 2, 4, and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishimura et al. (U.S. 6,381,244) in view of Luciani et al. (U.S. 6,614,791).

Regarding claim 1, Nishimura et al. teaches an ATM Exchange EX1 (ATM edge node switching equipment) in Figure 1 that is connected to plural user terminals in an ATM network. Nishimura et al. also teaches an ATM Exchange EX1 (IP data packet distribution function) in Figure 5 that distributes IP data packets to plural user terminals using a VCC table 22c, which contains a destination IP address field. Nishimura et al. also teaches a datagram cell reader 22a in Figure 5 (inputted IP data packet analyzing section) that obtains a packet that contains a cell with an input VCC no. (input virtual channel number), a quality of service (QoS) class field (quality of service type set), a protocol identifier (protocol type), a source terminal address field (source address service port number), a destination address field (destination service port number), and a cell identifier field (code point) that is contained within the header portion of the received packet from a user terminal. See cell element C₀ in Figure 2, which contains

Art Unit: 2666

fields $F_1 - F_4$. Nishimura et al. also teaches routing controller 22d (routing information retrieving section) in Figure 5 that checks the QoS, and the destination IP address and selects an appropriate output VCC as described in column 14, lines 36-67.

Nishimura et al. fails to teach a virtual private network identifier (VPN-ID) for distinguishing user terminals. Nishimura et al. also fails to teach routing to an appropriate output VC based on the VPN-ID. However, Luciani et al. teaches a system, device, and method for supporting multiple virtual private networks in a communication network by encoding a virtual private network identifier in certain control messages in order to associate those control messages with a particular VPN (a particular user). At the time of the invention, it would have been obvious to someone of ordinary skill in the art given these references to combine the teachings of Nishimura et al. with the virtual private network identifier of the Luciani et al. reference. A motivation for doing so would be in order to distinguish the specific user terminal(s) that packets are associated with for routing purposes as described in column 2, lines 33-52 of the Luciani et al. reference.

Regarding claim 2, Nishimura teaches a leased line between each of the plural user terminals and an ATM Exchange (ATM edge node switching equipment) in Figure 18. Nishimura et al. does not explicitly teach that the leased line is a virtual private network of a layer 2 in an OSI model. However, Luciani et al. teaches a multi-protocol system 100 in Figure 1 that contains an ATM Ingress edge device 120 coupled to source end device 110 that contains an Ingress MPOA client (MPC) element 124 that is able to maintain an Ingress MPC for each supported virtual private network (VPN) as

Art Unit: 2666

described in column 6, 28-35. At the time of the invention, it would have been obvious to someone of ordinary skill in the art given these references to make the leased line of Nishimura et al. capable of supporting multiple virtual private networks in order to allow for a communication network to be shared by multiple consumers as described in column 6, lines 1-7 of the Luciani et al. reference.

Regarding claim 4, Nishimura et al. teaches an ATM Exchange EX1 (ATM edge node switching equipment) in Figure 1 that is connected to a plurality of user terminals through leased lines. Nishimura et al. also teaches VCC1 and VCC2 (input VCs) to which IP data packets are inputted from user terminals A and B. Nishimura et al. also teaches a datagram cell reader 22a (inputted IP data packet analyzing section) in Figure 5 that analyzes leading cell C₀ (contained in header of packet in Figure 2). Nishimura et al. also teaches a VCC table 22c (user information memory) in Figure 5 that stores VCC numbers (input VC numbers), QoS class (QoS type), a protocol identifier (see field F4 of Figure 2), a destination address field (destination service port number), a source address field (source address service port number) and a cell identifier (code point, See field F₁ of Figure 2). Nishimura et al. also teaches a routing table 22b, a VCC table 22c, and a switching table 21b (combined routing information memory) in Figure 5 that store a destination IP address, plural output VCCs, the state of VCCs, and QoS class. Nishimura also teaches that a data packet is transferred to a destination address in an ATM network by adding leading cell Co to a header of a packet (See Figure 2).

Art Unit: 2666

Nishimura et al. fails to teach storing a virtual private network identifier and using this identifier for routing purposes. However, Luciani et al. teaches a system, device, and method for supporting multiple virtual private networks in a communication network by encoding a virtual private network identifier in certain control messages in order to associate those control messages with a particular VPN (a particular user). At the time of the invention, it would have been obvious to someone of ordinary skill in the art given these references to combine the teachings of Nishimura et al. with the virtual private network identifier of the Luciani et al. reference. A motivation for doing so would be in order to distinguish the specific user terminal(s) that packets are associated with for routing purposes as described in column 2, lines 33-52 of the Luciani et al. reference.

Regarding claim **5**, Nishimura et al. further teaches a VCC establishing agent 23, bandwidth table 22, and VCC table 22c (combined VC control unit) in Figure 19 that monitors requested bandwidth in VCC table 22c versus remaining line bandwidth managed in bandwidth table 22e and identifies when bandwidth requested cannot be provided (trouble) for routing purposes. Nishimura et al. also teaches network management center (network control unit) in Figure 18 that manages ATM Exchanges that are connected to it. Nishimura et al. also teaches VCC establishing agent 23 (command analyzing section) that analyzes VCC connection information from the network management center.

3. Claims **3 and 6** are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishimura et al. (U.S. 6,381,244) in view of Luciani et al. (U.S. 6,614,791) and in further view of Yin et al. (US 2001/0055313).

Art Unit: 2666

Regarding claim 3, Nishimura et al. teaches a QoS class field in Figure 5 that contains multiple classes that correspond to categories such as cell loss rate (tagging trouble), delay time (transmission delayed time), delay fluctuation, etc. as described in column 13, lines 1-11. Nishimura et al. fails to teach discarding an illegal cell. However, Yin et al. teaches an ATM segmentation/transmitter 320 in Figure 4 that discards packets based upon VC buffer usage as a method of congestion control (QoS). At the time of the invention, it would have been obvious to someone of ordinary skill in the art given these references to use the packet discard of Yin et al. as a QoS measure with the teachings of Nishimura et al. in order to regulate buffer usage and reduce congestion as described in page 3, paragraphs 26 and 27 of the Yin et al. reference.

Regarding claim 6, Nishimura et al. teaches a QoS class field (QoS type) in Figure 5. Nishimura et al. also teaches plural output VCCs stored in switching table 21b of Figure 5 that are selected based upon updated information in VCC table 22c and routing table 22b. A particular output VCC is selected and the corresponding destination address in VCC table 22c is used. Nishimura et al. fails to teach a virtual private network identifier provided from an analyzed result. Luciani et al. teaches a system, device, and method for supporting multiple virtual private networks in a communication network by encoding a virtual private network identifier in certain control messages in order to associate those control messages with a particular VPN (a particular user).

Nishimura et al. in view of Luciani et al. fails to teach discarding of data packets by a routing information retrieving section when trouble occurs in a VC. However, Yin et

1

Art Unit: 2666

al. teaches an ATM segmentation/transmitter 320 in Figure 4 that discards packets based upon VC buffer usage as a method of congestion control (QoS). At the time of the invention, it would have been obvious to someone of ordinary skill in the art given these references to combine the teachings of Nishimura et al. in view of Luciani et al. with the packet discard of Yin et al. as a QoS measure in order to regulate buffer usage and reduce congestion as described in page 3, paragraphs 26 and 27 of the Yin et al. reference.

Response to Arguments

- 4. Applicant's arguments filed 7/29/2004 have been fully considered but they are not persuasive.
- 5. In response to applicant's argument that Nishimura et al. fails to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., no requirement for user terminal modification, one input line per user, setting of user information on a network device beforehand, shorter switching time, shortened period between a reset operation and a stable state) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).
- 6. In response to applicant's arguments against the Nishimura et al. reference individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642

Art Unit: 2666

57.

F.2d 413, 208 USPQ 871 (CCPA 1981); In re Merck & Co., 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Moore, Jr. whose telephone number is (571) 272-3168. The examiner can normally be reached on Monday-Friday (8:30am - 5:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema S. Rao can be reached at (571) 272-3174. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael J. Moore, Jr. Examiner Art Unit 2666

mjm MM

FRANK DUONG PRIMARY EXAMINER